


SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

PRODUCT NAME: Slick Willie 2 PART NUMBER: SLICK2_BX, SLICK2_PA, SLICK2DRUM750 GENERAL USE: Concrete Pump Primer PRODUCT DESCRIPTION: White powder, odorless		 <small>Your Concrete Construction Problems, Solved</small>
MANUFACTURER'S NAME: Enviro-Systems, Inc.	DATE PREPARED: 26 Apr 2016 SUPERSEDES: 12 April 2013	Page 1 of 4
ADDRESS (NUMBER, STREET) 6400 Highlands Pkwy, Ste D	TELEPHONE NUMBER FOR INFORMATION: (770) 333-0206	
CITY, STATE, AND ZIP CODE COUNTRY Smyrna, GA 30082 USA	EMERGENCY TELEPHONE NUMBER: InfoTrac (800) 535-5053; Outside USA (352) 323-3500	
DISTRIBUTOR'S NAME: Concrete Pump Supply, LLC		
ADDRESS (NUMBER, STREET) 6400-C Highlands Pkwy	TELEPHONE NUMBER FOR INFORMATION: (678) 370-0000	
CITY, STATE, AND ZIP CODE COUNTRY Smyrna, GA 30082 USA	EMERGENCY TELEPHONE NUMBER: Same as Manufacturer	

SECTION 2 – HAZARD(S) IDENTIFICATION

HAZARD CLASSIFICATION: Health Hazard
SIGNAL WORD: Warning
HAZARD STATEMENT(S): May cause irritation to respiratory tract. Contact with eyes may cause irritation.
PICTOGRAM: EXCLAMATION POINT and HEALTH HAZARD



PRECAUTIONARY STATEMENT(S): Granular powder is harmful and irritating to respiratory tract. Contact with eyes may cause irritation.

DESCRIPTION OF HAZARDS NOT OTHERWISE CLASSIFIED: None

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components	% by weight	CAS #	EINECS #	Other
Flux calcined diatomaceous Earth, may contain:	45 – 55	68855-54-9	272-489-0	
Silica, cristobalite	< 25	14464-46-1	238-455-4	
Silica, crystalline quarts (a,b)	< 2	14808-60-7	238-878-4	
Tetrasodium ethylenediaminetetraacetate hydrate	15 – 25	64-02-8	200-573-9	

SECTION 4 – FIRST-AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Wash contacted area with soap and water; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything to an

unconscious person; seek medical attention.									
SECTION 5 – FIRE FIGHTING MEASURES									
GENERAL HAZARDS: Product is not considered flammable or combustible.									
EXTINGUISHING MEDIA: Carbon dioxide, water, water fog, dry chemical, chemical foam.									
FIRE FIGHTING PROCEDURES: None.									
UNUSUAL FIRE AND EXPLOSION HAZARDS: None.									
HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes or vapors, oxides of carbon									
SECTION 6 – ACCIDENTAL RELEASE MEASURES									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:									
Small spills: Wash to sanitary sewer with plenty of water.									
Large spills: Recover and segregate product for reuse; shovel product into approved container for disposal.									
SECTION 7 – HANDLING AND STORAGE									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use. Protect containers from abuse. Keep container in a cool, dry area. Keep this and all chemicals out of reach of children.									
SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION									
HAZARDOUS COMPONENTS	NIOSH				ACGIH				
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	
Flux, calcined diatomaceous earth, may contain:									
Silica, cristobalite									
	--	0.05	--	--	--	0.05	-----		
Silica, crystalline quartz (a,b)									
	--	0.05	--	--	--	0.05	-----		
Tetrasodium									
Ethylenediaminetetraacetate hydrate									
		not established					not established		
PERSONAL PROTECTION									
PROTECTIVE EQUIPMENT: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, et c. Neoprene or nitrile rubber gloves. Chemical splash goggles. Safety eyewash station nearby.									
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals, in general.									
SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES									
APPEARANCE AND ODOR: White powder, odorless. pH: 6.5 – 7.5 (1% aqueous suspension) BOILING POINT / BOILING RANGE: Not available FLASH POINT: Non-flammable FLAMMABLE LIMITS: LEL: N/A UEL: N/A					VAPOR PRESSURE: Not available SPECIFIC GRAVITY: (WATER =1) 2.0 - 2.5 SOLUBILITY IN WATER: Complete VISCOSITY: Solid VAPOR DENSITY: (AIR=1) N/A EVAPORATION RATE: (WATER=1) N/A				

